

SABURRTOOTH®


SUPERIOR POWER CARVING TOOLS

- ▶ RAPID STOCK REMOVAL
- ▶ LONGER-LASTING
- ▶ NON-LOADING
- ▶ SMOOTH-OPERATION
- ▶ EASIER TO CONTROL
- ▶ MORE AGGRESSIVE
- ▶ VERSATILE



ALL PARTS MADE
IN THE U.S.A.

→ **SABURRTOOTH**[®]
SUPERIOR POWER CARVING TOOLS



NEW ►

Introducing our new line of sanding discs. The innovative design allows a clear view of your work during material removal for better accuracy and control. Available in multiple sizes and grits for your needs. For more information on locating a Saburrtooth distributor near you, please visit us on-line: www.saburrtooth.com

SUPERIOR POWER CARVING TOOLS

“Power Carving” rotary tools feature long-lasting, razor-sharp carbide cutting teeth arranged into a unique open pattern to resist loading while providing the “Power Carver” rapid stock removal and smoother finishes.

Rotary tools are available in many shapes, sizes and textures to suit your carving, grinding, cutting and machining needs.

Please Note: Not for use on **METAL** or **CERAMICS**.

Safety: Always use approved eye protection and safety devices!

Sizes: Coated diameters are nominal and may vary in size by .150”

Recommended Operating Speed: 4,000 to 24,000 RPMs



1/4" SHANK (ALSO AVAILABLE IN 3MM)

FOR USE WITH FLEX-SHAFT OR DIE GRINDERS

AVAILABLE IN **FINE** • **COARSE** • **EX-COARSE**

BALL NOSE

PART#	HEAD DIAMETER	HEAD LENGTH
14BN14	1/4"	1 3/4"
14BN12	1/2"	3/4"
14BN12X2	1/2"	2"
14BN58	5/8"	3/4"
14BN34	3/4"	1 1/4"



CYLINDER

PART#	HEAD DIAMETER	HEAD LENGTH
14C14	1/4"	1 3/4"
14C12	1/2"	3/4"
14C58L	5/8"	1 1/4"
14C34	3/4"	1 1/4"
14C14SE (SMOOTH END)	1/4"	1 3/4"
14C12SE (SMOOTH END)	1/2"	3/4"
14C12X2SE (SMOOTH END)	1/2"	2"
14C58LSE (SMOOTH END)	5/8"	1 1/4"
14C34SE (SMOOTH END)	3/4"	1 1/4"
14C1SE (SMOOTH END)	1"	1"
14C1R2 (RADIUS END)	1"	1"



DOVE TAIL

PART#	HEAD DIAMETER	HEAD LENGTH
14DT34	3/4"	1 1/4"
14DT34SE (SMOOTH END)	3/4"	1 1/4"



SABURRTOOTH[®]

SUPERIOR POWER CARVING TOOLS

FLAME

PART#	HEAD DIAMETER	HEAD LENGTH
14F38	3/8"	3/4"
14F12	1/2"	3/4"
14F34	3/4"	1 1/4"



SPHERE

PART#	HEAD DIAMETER	HEAD LENGTH
14S12	1/2"	1/2"
14S58	5/8"	5/8"
14S78	7/8"	7/8"



TAPER

PART#	HEAD DIAMETER	HEAD LENGTH
14T14	1/4"	1 3/8"
14T12	1/2"	1"
14T12SE (SMOOTH END)	1/2"	3/4"
14T34	3/4"	1 1/4"
14T34SE (SMOOTH END)	3/4"	1 1/16"



RTOSAW

PART#	HEAD DIAMETER	HEAD LENGTH
14RS34	3/4"	1/4"
14RS100	1"	1/4"
14RS125	1 1/4"	1/4"
14RS2	2"	1/4"



1/8" SHANK (ALSO AVAILABLE IN 6MM)

FOR USE WITH FLEX-SHAFT OR DIE GRINDERS

AVAILABLE IN FINE • COARSE

BALL NOSE

PART#	HEAD DIAMETER	HEAD LENGTH
18BN18	1/8"	7/8"
18BN14	1/4"	1/2"

BUD

PART#	HEAD DIAMETER	HEAD LENGTH
18BUD14	1/4"	3/4"

CYLINDER

PART#	HEAD DIAMETER	HEAD LENGTH
18C18	1/8"	7/8"
18C14	1/4"	1/2"
18C18SE (SMOOTH END)	1/8"	7/8"
18C14SE (SMOOTH END)	1/4"	1/2"
18C12SE (SMOOTH END)	1/2"	1/2"
18C12R2 (RADIUS END)	1/2"	1/2"

DOVETAIL

PART#	HEAD DIAMETER	HEAD LENGTH
18DT38	3/8"	1/2"

EYE CUTTER


PART#	HEAD DIAMETER	HEAD LENGTH
18EC38	3/8"	3/4"

FLAME

PART#	HEAD DIAMETER	HEAD LENGTH
18F14	1/4"	1/2"
18F38	3/8"	5/8"

ROSAW

PART#	HEAD DIAMETER	HEAD LENGTH
18RS38	3/8"	3/16"
18RS58	5/8"	3/16"



SPHERE

PART#	HEAD DIAMETER	HEAD LENGTH
18S14	1/4"	1/4"
18S38	3/8"	3/8"

TAPER

PART#	HEAD DIAMETER	HEAD LENGTH
18T18	1/8"	7/8"
18T14	1/4"	1/2"

3/32" SHANK**FOR USE WITH FLEX-SHAFT OR DIE GRINDERS**

AVAILABLE IN FINE • COARSE

BALL NOSE

PART#	HEAD DIAMETER	HEAD LENGTH
32BN14	1/4"	5/8"

BUD

PART#	HEAD DIAMETER	HEAD LENGTH
32BUD14	1/4"	3/4"

CYLINDER

PART#	HEAD DIAMETER	HEAD LENGTH
32C14	1/4"	1/2"
32C14SE (SMOOTH END)	1/4"	1/2"

FLAME

PART#	HEAD DIAMETER	HEAD LENGTH
32F14	1/4"	1/2"
32F38	3/8"	3/8"

ROTSAW


PART#	HEAD DIAMETER	HEAD LENGTH
32RS38	3/8"	3/16"

SPHERE

PART#	HEAD DIAMETER	HEAD LENGTH
32S14	1/4"	1/4"

TAPER

PART#	HEAD DIAMETER	HEAD LENGTH
32T18	1/8"	7/8"



SABURRTOOTH
SUPERIOR POWER CARVING TOOLS

BUZZOUTS, CUPS, SANDING SLEEVES & ACCESSORIES

FOR USE WITH FLEX-SHAFT OR DIE GRINDERS

2" BUZZOUT WHEELS

PART#	THREAD	DIAMETER	LENGTH	TEXTURE
BZ21450	3/8 - 24	2"	1/4"	YELLOW (FINE)
BZ21470	3/8 - 24	2"	1/4"	GREEN (COARSE)
BZ21490	3/8 - 24	2"	1/4"	ORANGE (EX-COARSE)
BZ23850	3/8 - 24	2"	3/8"	YELLOW (FINE)
BZ23870	3/8 - 24	2"	3/8"	GREEN (COARSE)
BZ23890	3/8 - 24	2"	3/8"	ORANGE (EX-COARSE)
BZ21250	3/8 - 24	2"	1/2"	YELLOW (FINE)
BZ21270	3/8 - 24	2"	1/2"	GREEN (COARSE)
BZ21290	3/8 - 24	2"	1/2"	ORANGE (EX-COARSE)
BZ23450	3/8 - 24	2"	3/4"	YELLOW (FINE)
BZ23470	3/8 - 24	2"	3/4"	GREEN (COARSE)
BZ23490	3/8 - 24	2"	3/4"	ORANGE (EX-COARSE)

AVAILABLE IN FINE • COARSE • EX-COARSE



2" CARVING CUP RASP (FLARED FACE)

PART#	DIAMETER	LENGTH	TEXTURE
CR250	2"	3/8"	YELLOW (FINE)
CR270	2"	3/8"	RED (MEDIUM)
CR290	2"	3/8"	GREEN (COARSE)
CR2125	2"	3/8"	ORANGE (EX-COARSE)

AVAILABLE IN FINE • MEDIUM • COARSE • EX-COARSE



1 3/4" CARVING CUP RASP (ROUND FACE)

PART#	DIAMETER	LENGTH	TEXTURE
CR13450	1 3/4"	3/8"	YELLOW (FINE)
CR13470	1 3/4"	3/8"	RED (MEDIUM)
CR13490	1 3/4"	3/8"	GREEN (COARSE)
CR134125	1 3/4"	3/8"	ORANGE (EX-COARSE)

AVAILABLE IN FINE • MEDIUM • COARSE • EX-COARSE

CUP & BUZZOUT ADAPTERS

PART#	THREAD	FITS	SHANK
CRAD3824	3/8 - 24	2" CUPS	1/4"
BZAD3824	3/8 - 24	BUZZOUTS	1/4"



SANDING SLEEVES

PART#	INNER DIAMETER	HEAD LENGTH
SS122	1/2"	2"
SS342	3/4"	2"
SS102	1"	2"
SS152	1 1/2"	2"

AVAILABLE IN FINE • COARSE • EX-COARSE



RUBBER MANDRELS FOR 2" SLEEVES

PART#	OUTER DIAMETER	LENGTH	SHANK
SSM12	1/2"	2"	1/4"
SSM34	3/4"	2"	1/4"
SSM10	1"	2"	1/4"
SSM15	1 1/2"	2"	1/4"



2" WHEELS & DISCS

FOR USE WITH MERLIN®, PROXXON® & ARBORTECH® GRINDING UNITS

2" DONUT WHEELS (ROUND FACE)

PART#	DIAMETER	BORE SIZE	TEXTURE
DW250	2"	3/8"	YELLOW (FINE)
DW270	2"	3/8"	GREEN (COARSE)
DW290	2"	3/8"	ORANGE (EX-COARSE)

AVAILABLE IN FINE • COARSE • EX-COARSE



2" SANDING DISCS (FLAT FACE)

PART#	DIAMETER	BORE SIZE	TEXTURE
SD250	2"	3/8"	YELLOW (FINE)
SD270	2"	3/8"	GREEN (COARSE)
SD290	2"	3/8"	ORANGE (EX-COARSE)

AVAILABLE IN FINE • COARSE • EX-COARSE



4" WHEELS & DISCS

FOR USE ON MOST 4" & 4 1/2" ANGLE HEAD GRINDERS

*PLEASE SPECIFY BORE SIZE WHEN ORDERING

4" DONUT WHEELS (ROUND FACE)

PART#	DIAMETER	BORE SIZE*	TEXTURE
DW450	4"	5/8" & 7/8"	YELLOW (FINE)
DW470	4"	5/8" & 7/8"	RED (MEDIUM)
DW490	4"	5/8" & 7/8"	GREEN (COARSE)
DW4125	4"	5/8" & 7/8"	ORANGE (EX-COARSE)

AVAILABLE IN FINE • MEDIUM • COARSE • EX-COARSE



4" SANDING DISCS (FLAT FACE)

PART#	DIAMETER	BORE SIZE*	TEXTURE
SD450	4"	5/8" & 7/8"	YELLOW (FINE)
SD470	4"	5/8" & 7/8"	RED (MEDIUM)
SD490	4"	5/8" & 7/8"	GREEN (COARSE)
SD4125	4"	5/8" & 7/8"	ORANGE (EX-COARSE)

AVAILABLE IN FINE • MEDIUM • COARSE • EX-COARSE



5" SANDING DISCS

5" SANDING DISCS (FLAT FACE)

PART#	DIAMETER	BORE SIZE	TEXTURE
SD550	5"	7/8"	YELLOW (FINE)
SD570	5"	7/8"	RED (MEDIUM)
SD590	5"	7/8"	GREEN (COARSE)
SD5125	5"	7/8"	ORANGE (EX-COARSE)

AVAILABLE IN FINE • MEDIUM • COARSE • EX-COARSE



7" SANDING DISCS

7" SANDING DISCS (FLAT FACE)

PART#	DIAMETER	BORE SIZE	TEXTURE
SD750	7"	7/8"	YELLOW (FINE)
SD770	7"	7/8"	RED (MEDIUM)
SD790	7"	7/8"	GREEN (COARSE)
SD7125	7"	7/8"	ORANGE (EX-COARSE)

AVAILABLE IN FINE • MEDIUM • COARSE • EX-COARSE



2" WHEELS & DISCS (WITH HOLES)

FOR USE WITH MERLIN®, PROXXON® & ARBORTECH® GRINDING UNITS

2" DONUT WHEELS (ROUND FACE W/HOLES)

PART#	DIAMETER	BORE SIZE	TEXTURE
DW250 HOLES	2"	3/8"	YELLOW (FINE)
DW270 HOLES	2"	3/8"	GREEN (COARSE)
DW290 HOLES	2"	3/8"	ORANGE (EX-COARSE)

AVAILABLE IN FINE • COARSE • EX-COARSE

2" SANDING DISCS (FLAT FACE W/HOLES)

PART#	DIAMETER	BORE SIZE	TEXTURE
SD250 HOLES	2"	3/8"	YELLOW (FINE)
SD270 HOLES	2"	3/8"	GREEN (COARSE)
SD290 HOLES	2"	3/8"	ORANGE (EX-COARSE)

AVAILABLE IN FINE • COARSE • EX-COARSE



4" WHEELS & DISCS (WITH HOLES)

FOR USE ON MOST 4" & 4 1/2" ANGLE HEAD GRINDERS

4" DONUT WHEELS (ROUND FACE W/HOLES)

PART#	DIAMETER	BORE SIZE*	TEXTURE
DW450 HOLES	4"	5/8" & 7/8"	YELLOW (FINE)
DW470 HOLES	4"	5/8" & 7/8"	RED (MEDIUM)
DW490 HOLES	4"	5/8" & 7/8"	GREEN (COARSE)
DW4125 HOLES	4"	5/8" & 7/8"	ORANGE (EX-COARSE)

AVAILABLE IN FINE • MEDIUM • COARSE • EX-COARSE

4" SANDING DISCS (FLAT FACE W/HOLES)

PART#	DIAMETER	BORE SIZE*	TEXTURE
SD450 HOLES	4"	5/8" & 7/8"	YELLOW (FINE)
SD470 HOLES	4"	5/8" & 7/8"	RED (MEDIUM)
SD490 HOLES	4"	5/8" & 7/8"	GREEN (COARSE)
SD4125 HOLES	4"	5/8" & 7/8"	ORANGE (EX-COARSE)

AVAILABLE IN FINE • MEDIUM • COARSE • EX-COARSE



5" SANDING DISCS (WITH HOLES)

5" SANDING DISCS (FLAT FACE W/HOLES)

PART#	DIAMETER	BORE SIZE	TEXTURE
SD550 HOLES	5"	7/8"	YELLOW (FINE)
SD570 HOLES	5"	7/8"	RED (MEDIUM)
SD590 HOLES	5"	7/8"	GREEN (COARSE)
SD5125 HOLES	5"	7/8"	ORANGE (EX-COARSE)

AVAILABLE IN FINE • MEDIUM • COARSE • EX-COARSE



7" SANDING DISCS (WITH HOLES)

7" SANDING DISCS (FLAT FACE W/HOLES)

PART#	DIAMETER	BORE SIZE	TEXTURE
SD750 HOLES	7"	7/8"	YELLOW (FINE)
SD770 HOLES	7"	7/8"	RED (MEDIUM)
SD790 HOLES	7"	7/8"	GREEN (COARSE)
SD7125 HOLES	7"	7/8"	ORANGE (EX-COARSE)

AVAILABLE IN FINE • MEDIUM • COARSE • EX-COARSE



SABURRTOOTH
SUPERIOR POWER CARVING TOOLS



SABURRTOOTH[®]

SUPERIOR POWER CARVING TOOLS



Please Note: Not for use on **METAL** or **CERAMICS**.

Safety: Always use approved eye protection and safety devices!

Sizes: Coated diameters are nominal and may vary in size by .150"

Recommended Operating Speed: 4,000 to 24,000 RPMs